







19-20 FEBRUARY 2024 | KUALA LUMPUR CONVENTION CENTRE

# Driving EHS Excellence Through Digital Innovation

Aslan Bin Che Mi

Head of EHS, B.Braun Medical Industries

THE FUTURE OF WORK



# CASE STUDY 1







# "We protect and improve the health of people around the world." 1972

1839



B. Braun stands for more than 180 years of **innovative solutions**.



First manufacturing site for the company in Asia Pacific. **200 employees** 



2022




Celebrating 50 Years in Malaysia, largest manufacturing site for B. Braun.








# Over 7600 employees



# **2024 TODAY**












Over 7600 employees



255.000 m<sup>2</sup>

operation area

# **EFFECTIVE**

# **EFFICIENT**











# The Solution







# e-Voice Out System








#### Easy to Implement
















## 1. Input










Select your language. Next select which category of feedback you wish to input.





Fill in the required details and attach a few pictures of the issue.

Name

**Employee ID** 

Location

**Voice Out Information** 

1-3 Pictures







### 2. Translation of data
















Input received







Power Automate Flow creates a new Microsoft Planner Task with all the information included:

- Title
- Start & Due Date
- Details of voice out
- Attachments
- Assigned person

Planner includes all tasks coming from new e-Voice outs













## 3. Processing


#### MS Planner




E-mail notification



Closing














## Sample of Completed Planner Task
















#### Number of Voice Outs submitted by Employee

## Positive Reinforcement: Report & Reward

























# CASE STUDY 2







# What Does a Common Process Analysis Look Like?

"Manual handling activities involve the transporting or supporting a load by hand or bodily force."









# Significant effort required to conduct multiple manual activities

- Process documentation
- Long observation period in GEMBA
- Insufficient sample size / data sets
- Time / Method study

- Create analysis
- > No anonymity
- Reporting / charts
- > Ergonomics observation









# The Solution







## Motion Miners Technology in a Nutshell

#### **Mobile Sensors**

Record activities & ergonomics



#### Beacons

Make locations recognizable



#### **Smartphones** Recognizes

location & controls the measurement






#### Docking Station

Synchronizes & charges the equipment

#### Software

Artificial Intelligence: Analytics, Queries & Charts



#### **Benefits of Motion Miners**

No integration into the operational IT necessary





Complete anonymization of employee data

Holistic analysis of efficiency and ergonomics





Time savings through automatic measuring and analysis













## Approach for Motion Miners Study












## Approach: Studied Processes – Inbound & Outbound



## Retrieving

Retrieve articles from shelf areas of different aisles to the production floor.

## **Storing**

Storing articles on the shelves in the different aisles.

## Pick-up

Moving blue inbound boxes from the pallet or shelves onto the power pallet truck (PPT) to be distributed to the production floor.











## Analytics


#### General Analysis of Overall Activity at All Regions



Generally, most activity involves handle center, follows closely by handle down and handle up.

\* No handle – algorithm detects activity such as standing / walking within the registered region or any additional activities that are not detected by the algorithm.







The workers handle Material/Items 50% of the time.

\*Additional activities – algorithm cannot detect the activity within the region that is not handle, stand or walk.

#### Areas with Most Handling Activity



General Activity of Employees per shift.



Graph shows that employees spent from 5% to 26.79% of their shift handling down (bending) generally.

The peak hour of the activity is between 8am to 11am which is at the start of the shift.

Handling up peaked at 12.30pm to 1.30pm.

At **inbound/outbound 1**, handle down and handle center are about the same percentage. (Bending activity is a lot).

At **Aisle 1**, there was a lot of handle up (26.8%) involved compared to handle center and handle down.







## Improvement Projects

# Weight Zoning



Almost unusable

Light goods

Heavy fast-moving goods

Heavy slow-moving goods

#### · Introduction of ABC-Zoning

- Based on frequency and articles' weights as equal factors
- Assist pickers with storing articles in an ideal height, i.e. using color coding
  - Instead of storing everything in a single aisle, a heavy box should ideally be located in a better height in another aisle
- In progress to implement auto tagging of storage bin by materials with quantity defined per bin upon GR.

# Lifting Equipment





Capacity 400kg Lifting height 1200mm Heavy-duty robust construction 2 Fixed and 2 steerable wheels Integrated foot pump

#### WINCH STACKER WITH ADJUSTABLE FORKS



- •Fully adjustable forks (WS25 and WS50 models)
- •Maximum Lifting Height: 1560mm
- Castors fitted with parking brakes
  Industrial quality and easy to use

#### PALLET POWER LIFT STACKER



Capacity: 800kg Fork Length: 600mm Fork Width: 570mm Adjustable Fork Width:

215-500mm





# **Employee-Friendly Solution**











# THANK YOU